GENOMIA
genetic laboratory

Result certificate #340924

Detection of c.1579G>A mutation in PLA2G2 gene causing NAD in Pappilons and Phalene

Customer: Serhii Korenchenko, Mladé gardy 2781/1, 43401 Most 1, Czech Republic
Sample:
Sample: 26-14508
Date received: 18.06.2026
Sample type: buccal swab

Information provided by the customer
Name: DANALIYA FLY KODI-ARCH
Breed: Papillon
Microchip: 900 263 004 156 117
Reg. number: CMKU/PAP/6125/-26/25
Date of birth: 05.05.2025
Sex: male
Date of sampling: 17.06.2026
The identity of the animal has been checked by MVDr. Alice Šimková, KVL 7073

Result: Mutation was not detected (N/N)

Explanation

Presence or absence of c.1579G>A mutation in PLA2G2 gene causing Neuroaxonal dystrophy (NAD) in Papillon and Phalene breed was tested. NAD belongs to the group of rare inherited neurodegenerative diseases. The first symptoms appear around 3 months of age. There can be observed problems with gait, even complete limb paralysis, loss of coordination, head tremor or intention tremor, inability to stand. Further neurological symptoms occur from the 6 month of age, such as blindness, strabismus, loss of reaction to threat, difficulty swallowing and progressive celebellar atrophy.

Mutation that causes NAD is inherited as an autosomal recessive trait. That means the disease affects dogs with P/P genotype only. The dogs with N/P genotype are considered carriers of the disease (heterozygotes), they are healthy but they can transmit the mutation on their offspring. Dogs with N/N genotype are without risk of NAD. In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N (healthy non-carriers), 50 % N/P (healthy carriers) and 25 % P/P (affected).

Method: SOP188-MPS-canine, MPS, accredited method

Date of issue: 25.06.2026
Date of testing: 18.06.2026 - 25.06.2026
Approved by: Mgr. Martina Šafrová, Laboratory Manager

verified and certified document GENOMIA genetic laboratory

Genomia is accredited in compliance with ISO/IEC 17025:2018 under #1549
Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

ilac-MRA L 1549

Report verification code is: 93JC-H4NA-6JN4-BTRB-C4JX. You can verify report online at www.genomia.cz
Without a written consent by the lab, the report must not be reproduced unless as a whole.
The result refers only to the tested sample, as received. Genomia is not responsible for the accuracy of the information provided by the customer.